## Leveraging Public Sentiment for Resource Coordination in Disaster Response: A Multiagent Framework

## Saad Alqithami

Department of Computer Science Al-Baha University, Albaha 65779, Saudi Arabia salqithami@bu.edu.sa

#### Abstract

Crises such as natural disasters, misinformation-driven social panic, and economic disruptions place communities under immense stress, demanding rapid and adaptive response strategies. Traditional disaster management has often focused on operational logistics-such as resource allocation and task prioritization-while overlooking how evolving public sentiment and misinformation dynamics can reshape crisis outcomes. In this work, we present MiSC, a multiagent framework that unifies real-time sentiment modeling with multiagent reinforcement learning to contain misinformation and coordinate resources more effectively. By continuously tracking the spread of false narratives and gauging shifts in public sentiment, MiSC adapts countermessaging campaigns and optimizes deployment decisions in real time. Through simulation-based evaluation, we demonstrate that this synergy between opinion modeling and adaptive decision-making yields significant gains over baseline methods, including faster sentiment recovery, enhanced misinformation control, and improved resource efficiency. By advancing scalable, interoperable AI systems that integrate social signal interpretation with crisis logistics, MiSC underscores the potential of AI-driven resilience for safeguarding communities against multifaceted and unpredictable challenges.

## Introduction

Communities worldwide face a growing spectrum of crises that extend well beyond physical hazards. While natural disasters such as hurricanes, wildfires, and earthquakes continue to threaten infrastructure and human life, the rapid circulation of digital content—accurate or otherwise—has emerged as a major influence on how a crisis evolves. For example, during the COVID-19 pandemic, widespread misinformation regarding health measures eroded public trust in official guidelines, undermining containment efforts (Vosoughi, Roy, and Aral 2018; Alam et al. 2021). Likewise, rumor cascades related to hurricanes or earthquakes have led to rushed evacuations and excessive resource hoarding (Karimiziarani and Moradkhani 2023), compounding the original emergency. These cases highlight the growing importance of addressing both physical disruptions and the social information layer that can magnify or mitigate crisis impacts.

Historically, disaster response frameworks have primarily emphasized operational logistics: efficiently allocating resources, scheduling tasks, and deploying personnel in timesensitive conditions. Although such efficiencies are crucial to saving lives and restoring critical infrastructure, they often fail to account for the role of public sentiment. In reality, misinformation-driven panic or negative public perception can derail coordinated relief efforts, especially when official messages lag behind the fast-paced spread of rumors on social platforms. Neglecting sentiment and misinformation thus risks missing key opportunities to sustain public trust, compliance, and collaboration throughout the crisis period.

Concurrently, research on sentiment-based interventions—such as targeted counter-messaging or community outreach—has tended to focus on communication strategies in isolation, without bridging the gap to logistics-driven response. While these interventions may reduce the diffusion of harmful rumors, they typically do not adjust how physical resources are distributed on the ground (e.g., emergency supplies, evacuation transport, or medical teams). As a result, crisis managers often lack an integrated tool for both counteracting misinformation and aligning tangible response actions with evolving public needs.

To address this challenge, we introduce MiSC (Misinformation-Sentiment Coordination), an AI-driven resilience framework that fuses real-time sentiment analysis with multiagent reinforcement learning (MARL). MiSC leverages a generative opinion model to capture how public sentiment shifts over time, detect emerging misinformation hotspots, and deploy targeted counter-messaging. In parallel, an MARL-based coordination mechanism optimizes resource allocation decisions by considering how sentiment trends shape operational priorities. By merging these layers—opinion modeling on one side, adaptive resource deployment on the other—MiSC offers a powerful tool to respond dynamically to both the physical and psychological aspects of crisis evolution.

Our overarching objective is to demonstrate that sentiment-driven policy adaptation, when closely integrated with multiagent coordination, can yield a more resilient crisis response strategy. Specifically, we hypothesize that:

• Improved Misinformation Containment: Proactive

Copyright © 2024, Association for the Advancement of Artificial Intelligence (www.aaai.org). All rights reserved.

counter-messaging informed by real-time sentiment data can neutralize false narratives before they take root.

- Enhanced Public Sentiment Recovery: By gauging public trust and adjusting communications accordingly, the system can bolster cooperation and reduce fear or confusion.
- Optimized Resource Utilization: Aligning resource distribution with sentiment-driven needs ensures that supplies and services reach the most critical areas without unnecessary waste.

To explore these hypotheses, we formulate three research questions:

- 1. Sentiment-aware misinformation mitigation: How can AI-driven models effectively analyze public sentiment dynamics and adapt counter-messaging during highuncertainty scenarios?
- 2. Real-time decision-making: In what ways can continuously updated sentiment insights inform resource allocation and operational planning in multiagent coordination systems?
- 3. Performance gains: What measurable benefits emerge from integrating sentiment modeling with adaptive multiagent decision-making, relative to conventional disaster-response approaches?

The main contributions of this work are as follows:

- 1. Hybrid AI Resilience Framework: We design MiSC to combine real-time sentiment modeling with MARL for more effective disaster response.
- 2. Dynamic Misinformation Containment Mechanism: MiSC deploys targeted counter-messaging in real time, guided by continuous updates on community opinion.
- Scalable Coordination Engine: A multiagent decisionmaking structure that synchronizes sentiment insights with operational logistics, enabling adaptive crisis management.
- 4. Comprehensive Experimental Evaluation: We demonstrate how sentiment-driven decision-making interacts with MARL-based coordination, achieving superior performance in misinformation control, sentiment recovery, and resource efficiency compared to established baselines.

The remainder of this paper is structured as follows. First, we survey the latest advances in AI-driven crisis resilience, sentiment modeling, and multiagent coordination, highlighting how our approach builds on and extends prior work. Next, we detail MiSC's hybrid framework, covering opinion dynamics, reinforcement learning strategies, and underlying theoretical foundations. We then introduce the simulation environment, describe the evaluation metrics, and present our experimental results. Afterward, we discuss broader implications, limitations, and ethical considerations of deploying AI-driven methods in high-stakes scenarios. Finally, we conclude with a summary of key findings and outline future research directions, including potential expansions for handling multi-crisis settings, integration of explainable AI, and enhanced collaboration between automated systems and human decision-makers.

## **Related Work**

Addressing crises effectively requires solutions that bridge two key domains: (*i*) public sentiment modeling and misinformation mitigation, and (*ii*) multiagent coordination for adaptive decision-making. While each area has advanced considerably—particularly with the rise of social media platforms and deep reinforcement learning—systems that integrate sentiment-aware, misinformation-focused models into operational logistics remain relatively unexplored. Below, we survey the foundational and recent literature in both domains, then highlight how our approach unifies these strands to create an end-to-end resilience framework.

#### **Public Sentiment Modeling in Crises**

Early research on opinion dynamics often employed threshold-based or statistical-physics models to explain how behaviors and attitudes diffuse across a population (Granovetter 1978; Castellano, Fortunato, and Loreto 2009). Although foundational, such approaches typically assumed static social networks and lacked the temporal granularity required for real-time disaster response. The emergence of social media transformed this landscape by supplying continuous, geographically grounded sentiment data.

Traditional sentiment analysis relied on lexicon-based or feature-engineered classifiers (Medhat, Hassan, and Korashy 2014), but the advent of large language models-exemplified by GPT-3 (Brown et al. 2020)-marked a turning point by capturing more nuanced emotional states. Crisis-centric NLP research has demonstrated tangible benefits: Behl et al. (2021) achieved high accuracy in categorizing need/availability tweets for earthquake and COVID-19 scenarios, and Alam et al. (2021) introduced HUMAID, a corpus that spurred new disaster-specific models such as CRISISBERT. Studies on the 2021 European floods (Li et al. 2023) and Hurricane Ian (Karimiziarani and Moradkhani 2023) further illustrate how tracking temporal shifts in sentiment can guide real-time relief efforts. Notably, classifiers now reach 95-97% accuracy on pandemic-related tweets (Jalil et al. 2021), underscoring the growing maturity of crisis-oriented NLP pipelines.

## **Real-Time Misinformation Detection and** Mitigation

In high-uncertainty environments, false or misleading information can rapidly erode public trust and disrupt crisis management. Transformer-based methods have become pivotal in detecting such misinformation. For instance, Hu et al. (2024) revealed that large language models can both generate compelling disinformation and detect it when suitably prompted, while Chen and Shu (2024) showed that GPTstyle content remains particularly elusive, confounding both humans and algorithms.

Recent work often combines LLM-based feature extraction with domain-specific strategies. Nan et al. (2024) integrated GPT-generated comments to improve health misinformation detection, and Cinelli et al. (2020) demonstrated how the reproduction numbers of COVID-19 rumors can be quantified. Graph-based fake news detectors exploit propagation signatures for early warning (Zhou and Zafarani 2020), and "prebunking" or "inoculation" approaches have shown promise in boosting resilience to emerging falsehoods (van Der Linden, Roozenbeek, and Compton 2020). Despite these advances, relatively few frameworks tie realtime misinformation detection to resource allocation or operational logistics in crisis scenarios.

# Multiagent Reinforcement Learning for Disaster Response

Many crises demand decentralized, adaptive decisionmaking under uncertain conditions. Multiagent systems (MAS) naturally fit such requirements, allowing distributed agents to coordinate despite incomplete information. Early work by Ramchurn et al. (2016b) demonstrated MAS viability in disaster management, while policy-gradient algorithms like Proximal Policy Optimization (PPO) (Schulman et al. 2017) have become the standard for handling large, continuous action spaces.

Research on multiagent reinforcement learning (MARL) in crisis contexts covers diverse topics. Gong et al. (2024) showed how learned policies outperform heuristics in dynamic task allocation, and Kirac, Shaltayev, and Wood (2024) highlighted the value of multiagent simulations in capturing complex interactions among first responders and affected populations. Some recent efforts also leverage real-time social data, such as Yang et al. (2020), who used live tweets to inform volunteer tasking. Foundational work on value functions (Littman 2001) and inverse reinforcement learning (Ng and Russell 2000) further underpins coordination under partial observability. However, most MARL implementations focus on operational metrics (e.g., travel time, throughput) without explicitly addressing sentiment dynamics or misinformation shocks.

# Integrating Social Feedback into Agent Decision-Making

Leveraging digital-social signals within operational AI is an emerging frontier. Murdock, Carley, and Yagan (2024) proposed a platform for simulating and moderating misinformation across multiple online channels, while Gao et al. (2024) reviewed how LLM-driven agent simulations might shape public discourse. Nevertheless, only a handful of studies consider adjusting logistics or resource distribution in tandem with live sentiment data. Prior efforts often treat social signals as external variables, or view misinformation as largely static (Ramchurn et al. 2016a).

Our approach addresses this gap by embedding sentiment and misinformation indicators directly into the MARL reward function, enabling agents to jointly adapt their countermessaging and resource deployment. Building on socially informed MARL principles, this design tackles high-stakes scenarios where misinformation can quickly undermine public trust. By unifying information state and physical state in one adaptive loop, we aim to reinforce both societal cohesion and operational efficacy.

#### Human-Agent Teaming Under Uncertainty

In high-risk settings, human oversight remains indispensable. Appropriate trust calibration—where humans rely on AI when it is confident and intervene when it is uncertain—is central to effective deployment. Rojas and Li (2024) demonstrated that transparency-enhanced AI can foster better reliance patterns and that confidence cues spread among human collaborators. Hagemann et al. (2023) stressed the importance of team-centered AI, emphasizing agents that interpret human intent, maintain robust communication, and defer decisions when confidence is low.

Our proposed system adopts these principles, offering interpretable rationales for agent decisions and empowering human operators to override or refine them. This synergy between adaptive AI-driven coordination and human judgment ensures a crisis management framework that is both technologically sophisticated and socially accountable.

#### **Towards an End-to-End Resilience Framework**

Existing research on sentiment modeling, misinformation mitigation, and multiagent coordination increasingly points to the need for real-time, socially aware AI solutions. Yet most work still treats these areas in isolation. We bridge this gap by integrating live sentiment and misinformation signals into a multiagent reinforcement learning loop, ensuring that both social and operational dimensions co-evolve during a crisis. In so doing, we move toward an end-to-end resilience framework poised to tackle disruptions more effectively than siloed approaches.

## Methodology

## **Problem Formulation**

Effective disaster response systems must integrate two critical layers: (*a*) sentiment dynamics and (*b*) operational coordination. The (*a*) sentiment dynamics layer captures how public opinion evolves, particularly under the influence of false or misleading information. Within this layer, individuals can harbor latent (implicit) or expressed (explicit) opinions, and certain "misinformation nodes" introduce destabilizing content. These opinion shifts directly influence trust and compliance, which are essential for crisis management success.

The (b) operational coordination layer governs how resources (e.g., medical supplies, rescue teams) are allocated and how tasks are prioritized in time-sensitive environments. This layer factors in real-time sentiment insights, enabling dynamic adjustments to logistical strategies as the crisis unfolds. Linking resource deployment with changes in public trust and misinformation levels helps responders better address societal needs.

To formalize this setting, we treat disaster response as a hybrid system combining opinion dynamics with multiagent decision-making. We model opinion dynamics using a network graph where each node represents an individual or information source; edges indicate social connections facilitating information flow. Special "misinformation nodes" amplify or inject false data, undermining public confidence. On the decision-making side, we use a Partially Observable Markov Decision Process (POMDP). Here, S (states) includes both sentiment distributions across the population and resource availability levels, A (actions) encompasses misinformation countermeasures and resource deployment decisions, R (rewards) measures progress toward sentiment recovery, misinformation containment, and resource efficiency, and partial observability arises from limited or noisy information about true sentiment states. By framing crisis management as a POMDP, we can optimize response strategies under uncertain and dynamically changing conditions.

The overarching optimization has three core objectives:

- 1. Maximize sentiment recovery through restoring public trust and reducing polarization through targeted counter-messaging;
- 2. Enhance misinformation containment by identifying and neutralizing misinformation nodes that facilitate the spread of false content;
- 3. Improve resource efficiency to ensure that limited resources are allocated optimally across time and space according to societal need.

Combined, these objectives reflect a holistic disaster response framework that unifies societal and operational considerations.

#### **Proposed Framework: MiSC**

To address the intricate linkage between misinformation and operational challenges, we propose the MiSC (Misinformation-Sentiment Coordination) framework, a hybrid AI-driven resilience system that integrates three core components: generative agents, a multiagent coordination system, and an adaptive feedback mechanism. Figure 1 illustrates how these components interact in real time, emphasizing a closed-loop flow that merges social signal interpretation and operational decision-making.

**Generative Agents (Sentiment Modeling Layer):** At the core of our system, generative agents simulate and predict public sentiment trajectories, while also monitoring and forecasting how misinformation may propagate throughout a population. These agents draw on advanced language models (e.g., GPT-based architectures) to process real-time data from social media, news sites, and other data streams. Specifically, they perform three key functions:

- 1. Misinformation Detection: Identifying emerging false narratives, along with their likely velocity of spread, by analyzing textual cues and interaction patterns (e.g., retweets, shared links).
- 2. Sentiment Estimation: Estimating the overall state of public trust, fear, anger, or skepticism through aggregated metrics such as sentiment polarity, topic distribution, and emotional intensity.
- 3. Counter-Messaging Proposals: Generating tailored responses that aim to reduce the influence of discovered misinformation, either by clarifying facts or addressing emotional drivers behind public anxiety.

Because crises often unfold rapidly and unpredictably, these agents update their internal models at frequent intervals (e.g., every hour or every major data batch), ensuring that decision-makers and coordinating agents receive timely, high-resolution insights.

**Multiagent Coordination (Operational Layer):** In parallel, a MAS tackles the logistical and operational side of crisis response. Each agent in the MAS is equipped with a reinforcement learning policy that continuously adapts to changing conditions. Using algorithms such as PPO, the agents collectively learn to:

- Optimize Resource Allocation: Deploy medical supplies, rescue personnel, or other vital resources to areas in greatest need, taking into account real-time sentiment indicators and physical constraints (e.g., transportation bot-tlenecks).
- Enhance Sentiment Recovery: Decide when and where to push supportive messaging or coordinate relief efforts that visibly address the public's concerns, thereby reinforcing trust and cooperation.
- Contain Misinformation: Swiftly counter emergent false narratives, for instance by verifying critical updates in collaboration with social media platforms or local authorities.

These agents are designed to operate under partial observability (e.g., incomplete knowledge of where rumors originate or how sentiment is distributed), making multiagent RL particularly well suited for decentralized and dynamic crisis environments.

Adaptive Feedback Mechanism (Coupling Layer): Central to our framework is an adaptive feedback mechanism that unifies the outputs of the generative agents and the multiagent system. As depicted in Figure 1, the key elements of this coupling are:

- 1. Sentiment-Driven Operational Updates: Real-time insights about misinformation severity and public sentiment (e.g., increasing fear in a certain region) feed directly into the MAS, prompting more targeted resource allocation or communication strategies.
- 2. Outcome-Based Model Refinements: The success (or failure) of these actions is fed back to the generative agents, which incorporate new data into their opinion modeling processes. For instance, if a misinformation campaign persists despite counter-messaging, the agents revise their propagation and sentiment forecasts accordingly.
- 3. Continuous Adaptation: In each iteration, the MAS's RL policies are refined based on evolving reward signals that reflect both physical (e.g., supply shortfalls, successful deliveries) and psychological (e.g., public trust levels) metrics. This cyclical loop aligns operational strategies with social realities as the crisis unfolds.

Thus, MiSC aligns operational tactics with social realities, creating a closed-loop system that evolves in lockstep with the crisis itself.



Figure 1: MiSC framework integrating generative agents, multiagent coordination, and an adaptive feedback mechanism for real-time crisis management.

Adversarial Nodes and Disruptions: An integral part of the MiSC is handling adversarial nodes—entities that intentionally inject misinformation or disrupt coordination. These nodes generate false content aimed at undermining trust or redirecting valuable resources. Our generative agents actively monitor signals suggestive of adversarial behavior (e.g., unusually rapid message diffusion), while the MAS responds by prioritizing fact-checking resources or adjusting allocation decisions in affected regions. This interplay ensures that both the socioinformational and operational aspects of the crisis response remain robust against malicious disruptions.

**Framework Synergy:** Collectively, MiSC's components form a feedback loop approximating real-world crisis dynamics—where public opinion and operational imperatives are tightly interconnected. If misinformation spikes in a specific community, MiSC not only deploys counter-messaging but may also shift resource allocations to tamp down panic or reinforce trusted channels. Conversely, if critical supplies are needed in another area, the MAS dispatches them swiftly, and the generative agents adapt subsequent messaging to reassure local residents. In contrast to siloed approaches, MiSC continuously blends sentiment modeling, misinformation control, and resource coordination in a single adaptive framework.

#### **Theoretical Foundations**

To guarantee stability and adaptability under uncertain, dynamic conditions, we formalize both the opinion dynamics model and the multiagent decision process.

**Opinion Dynamics and Misinformation Propagation.** Let us consider a directed graph G = (V, E) representing the social network, where V is the set of nodes (individuals or organizations), and E is the set of edges encoding influence pathways. Each node  $i \in V$  maintains an opinion state  $x_i(t) \in [-1, 1]$ , where -1 and 1 denote extreme negative and positive views, respectively. At each time step t, opinions update according to an iterative rule:

$$x_i(t+1) = \alpha \sum_{j \in N(i)} w_{ij} x_j(t) + (1-\alpha) u_i(t), \quad (1)$$

where N(i) is the neighborhood of node i,  $w_{ij}$  is the influence weight of node j on i, and  $u_i(t)$  denotes external input (e.g., official messaging). The parameter  $\alpha \in [0, 1]$  determines the balance between peer influence and external intervention. Misinformation nodes  $v_m \in V_m \subseteq V$  inject incorrect data into the network, altering the overall distribution of opinion states. The influence matrix  $W = [w_{ij}]$  drives convergence properties. If the largest eigenvalue of W,  $|\lambda_{\max}(W)|$ , is less than 1, then the system converges to a stable opinion profile.

Additionally, the spread of misinformation can be approximated by an SIR-like model, where susceptible (S), infected (I), and recovered (R) states map to nodes that are unexposed, currently misinformed, or corrected, respectively. The basic reproduction number,

$$R_0 = \frac{\beta}{\gamma},\tag{2}$$

captures how quickly misinformation disperses, with  $\beta$  and  $\gamma$  denoting the transmission and neutralization rates. An  $R_0 < 1$  implies an eventual decline in misinformation over time, illustrating a controllable outbreak.

**Multiagent Decision-Making Under Uncertainty.** We model the operational coordination problem as a POMDP given by the tuple  $(S, A, T, R, \Omega, O)$ . Here, S encapsulates both resource configurations (e.g., inventory levels, deployment sites) and aggregated sentiment states (e.g., community trust indices), while A defines the set of actions involving resource distribution, counter-messaging initiatives, and other interventions. The transition function T(s, a, s') describes how the system transitions from state s to s' given action a.

Because only partial observations are available (noisy measurements of sentiment and incomplete data on misinformation hotspots),  $\Omega$  denotes the observation space, and

 $O(\omega|s)$  is the observation function that outputs the probability of observing  $\omega$  in state s. The reward function R(s, a) balances the three objectives:

$$R(s,a) = r_{\text{sentiment}} + r_{\text{misinfo}} + r_{\text{resources}}, \qquad (3)$$

where each term encodes incentives for improving sentiment, limiting misinformation, and using resources efficiently.

The goal is to learn an optimal policy  $\pi^*(a \mid s)$  that satisfies the Bellman optimality principle:

$$V^{\pi}(s) = \max_{a} \Big[ R(s,a) + \gamma \sum_{s'} T(s,a,s') V^{\pi}(s') \Big], \quad (4)$$

where  $V^{\pi}(s)$  is the value function for policy  $\pi$ , and  $\gamma \in [0, 1]$  is the discount factor. Techniques like PPO enable each agent in the MAS to iteratively refine policies based on observed performance in simulations. Over time, these learning agents converge toward strategies that are robust to fluctuating sentiment and misinformation conditions.

## **Optimization Objectives**

The proposed framework optimizes the following three objectives in parallel:

- Maximizing Sentiment Recovery: Ensuring that public confidence is restored by prioritizing interventions (e.g., accurate and consistent communication, targeted counter-messaging) that mitigate fear, distrust, or confusion.
- Enhancing Misinformation Containment: Identifying and isolating misinformation nodes to curb false narratives at the source. Agents analyze real-time data and strategically deploy fact-checking or verified updates to minimize further spread.
- Improving Resource Efficiency: Dynamically allocating assets (medical supplies, search-and-rescue teams, in-frastructure repair crews, etc.) where they are needed most. The system adaptively responds to sentiment changes as well, which can indicate emerging hotspots or community priorities.

These objectives reinforce each other. For instance, effective misinformation control supports higher trust, making resource interventions more successful. Conversely, timely and well-placed resource deployment can enhance credibility, reducing the receptiveness to false information. The comprehensive synergy of these goals underlies a truly AIdriven resilience framework, wherein operational strategies are perpetually informed by the social environment, and vice versa.

Collectively, the methodology outlined here offers an integrated solution for real-time crisis response. It unites advanced sentiment modeling, multiagent reinforcement learning, and adaptive feedback loops to facilitate proactive, context-aware interventions. By doing so, it addresses the pressing need for systems capable of bridging the gap between societal perception and operational imperatives during disruptive events.

## **Experimental Setup and Evaluation**

We conducted a series of simulation-based experiments to evaluate the proposed AI-driven resilience framework across multiple dimensions: misinformation mitigation, sentiment stabilization, and resource utilization. This section details the simulation environment, baseline methods, and performance metrics used in our study.

#### **Simulation Environment:**

Our simulation environment models a network of interconnected individuals and information sources, reflecting realistic influence patterns in crisis settings. Specifically, we employ a scale-free topology, which is commonly observed in real-world social networks and accommodates both highly influential "hub" nodes and smaller peripheral nodes. Each node is initialized with an opinion value drawn from a uniform distribution over [-1, 1], where extreme negative or positive values represent polarized sentiment states.

Nodes are updating their opinions at discrete time steps based on:

- a. Neighbor Influence: Individuals weigh the opinions of their neighbors according to an influence matrix, reflecting how easily they can be swayed.
- b. External Inputs: Counter-messaging interventions from the framework's multiagent system can shift opinion states, either correcting misinformation or reinforcing positive sentiment.

A predefined fraction of nodes is designated as misinformation sources, continuously injecting false narratives into the network. This setup simulates the dynamic interplay between legitimate information and deceptive content during crises.

We assume a fixed pool of resources (e.g., medical supplies, personnel, communication bandwidth) to be deployed across the network. Each resource allocation action must balance immediate operational objectives (e.g., containing an outbreak of misinformation) with sustaining public trust. The framework's agents regularly reassess deployment strategies based on incoming sentiment data, thereby integrating social signals directly into crisis response.

#### **Baseline Methods:**

To benchmark our approach, we compared the proposed framework against two alternative methods:

- i. Static Allocation: A fixed, uniform distribution of resources across all nodes. This strategy does not adapt to changes in either sentiment or misinformation levels. Although simple, it offers a baseline for assessing the added value of adaptive decision-making.
- ii. Heuristic Strategy: A rule-based approach that first channels resources toward detected misinformation nodes (attempting to suppress false narratives at the source) before reallocating any surplus to nodes that remain neutral or exhibit weaker opinions. While responsive to misinformation signals, it does not explicitly factor in real-time global sentiment or polarization levels.

## **Evaluation Metrics:**

We assessed each method using the following performance indicators:

- Sentiment Recovery Rate (SRR): The fraction of nodes converging to positive sentiment at the end of the simulation. Higher values imply successful mitigation of negative or polarized opinions.
- Misinformation Containment Effectiveness (MCE): The relative decrease in misinformation nodes, indicating how effectively false narratives are identified and neutralized.
- Resource Utilization Efficiency (RUE): A ratio-based measure comparing the amount of resources deployed to the improvement in sentiment and reduction in misinformation. This metric captures the cost-effectiveness of interventions.
- Consensus Convergence (CC): The standard deviation of opinion states at the final time step. Low values imply that most individuals have clustered around similar sentiment levels, signaling social cohesion.
- Polarization Reduction (PR): Quantifies the relative drop in opinion polarization from the initial to final states. Positive values indicate a net move away from extremes, bolstering collective stability.

## **Results and Discussion**

This section presents the outcomes of our experimental study and offers an in-depth discussion of the findings. We highlight how the proposed framework—referred to as MiSC—contrasts with static and heuristic approaches in mitigating misinformation, aligning public sentiment, and efficiently allocating resources.

#### **Quantitative Analysis:**

Table 1 (Section ) compares the performance of each method across five evaluation metrics. Our proposed MiSC framework consistently demonstrates strong results, notably:

- 1. Highest MCE (0.93): Indicates a robust capacity for neutralizing misinformation sources, reflecting the efficacy of integrating public sentiment cues into reinforcement learning policies.
- 2. Largest PR (0.8227): Suggests a marked reduction in extreme opinions by the end of the simulation, implying that resource allocation decisions under MiSC foster societal consensus.
- 3. Lowest CC (0.0132): Highlights the framework's ability to converge opinions smoothly. By adjusting interventions in real time, MiSC avoids abrupt polarization spikes.

In contrast, Static Allocation underperforms on polarization metrics (PR = -0.2558) and shows only moderate resource utilization (RUE = 2.32), pointing to the drawbacks of not adapting to dynamic sentiment shifts. Meanwhile, the Heuristic Strategy achieves the highest SRR (0.58) and best resource use (RUE = 2.70) but increases polarization (PR = -0.3050). This phenomenon underscores how a narrow focus on misinformation nodes can inadvertently intensify extremist tendencies elsewhere.

#### **Qualitative Observations:**



Figure 2: Evolution of Average Opinion Over Time

Figure 2 illustrates the opinion trajectories for each strategy. Early on, all three methods combat misinformation aggressively. However, the heuristic method initially drives opinions toward one polar extreme. Over time, MiSC maintains a smoother convergence curve, suggesting that it neither overshoots corrections nor neglects particular community segments.



Figure 3: Comparison of Final Performance Metrics

Figure 3 further highlights each method's trade-offs. The static approach balances sentiment and resource deployment to some degree but cannot respond to emerging misinformation spikes. Conversely, the heuristic method suppresses top misinformation nodes but exacerbates polarization among other nodes.

#### **Implications for Crisis Management:**

These findings underscore the value of a *dynamically adaptive* approach that continuously blends sentiment analysis with operational decision-making. When misinformation

Method	SRR	MCE	RUE	CC	PR
MiSC (Proposed Framework)	0.37	0.93	2.59	0.0132	0.8227
Static Allocation (Baseline)	0.44	0.91	2.32	0.6963	-0.2558
Heuristic Strategy (Baseline)	0.58	0.87	2.70	0.7634	-0.3050

Table 1: Performance Metrics for Each Method

emerges unpredictably, MiSC can rapidly adjust interventions—correcting false narratives before they become dominant. Tying resource distribution to real-time public sentiment also avoids the pitfalls of uniformly allocated strategies that overlook shifting community needs.

Nevertheless, an important takeaway is that aggressive misinformation suppression does not inherently result in societal stability. While neutralizing key "infector" nodes can bolster short-term sentiment scores, it may further marginalize groups left unaddressed, feeding longer-term polarization. By contrast, grounding allocations in sentiment data fosters more cohesive recovery dynamics and curtails further rumor outbreaks.

## **Limitations and Potential Extensions:**

Although our simulation results are promising, several limitations remain: (a.) Relying on a scale-free structure may overlook offline interactions or platform-specific network topologies. Incorporating multiplex or domain-focused models could increase realism. (b.) Our experiments simulate plausible dynamics but would benefit from real-world event data. Historical tweet logs or crisis archives could validate performance in actual emergencies. (c.) Expanding to larger agent populations or city-wide deployments may demand hierarchical or distributed RL solutions to retain efficiency. Despite these constraints, our results affirm that coupling sentiment modeling with multiagent reinforcement learning can offer meaningful improvements in crisis resilience, particularly under fast-changing or adversarial conditions.

## **Conclusion and Future Work**

In this work, we introduced MiSC, a unified multiagent framework that integrates public sentiment modeling, misinformation mitigation, and resource coordination for more adaptive crisis management. By embedding generative opinion modeling within a multiagent reinforcement learning paradigm, MiSC dynamically refines its policy decisions to counter false narratives, stabilize public sentiment, and allocate resources effectively under evolving conditions. Our empirical findings suggest that aligning operational strategies with real-time sentiment insights substantially improves misinformation containment, consensus formation, and resource efficiency compared to baseline methods.

**Broader Implications.** Although our primary focus has been on disaster response, MiSC's design and underlying principles lend themselves to other high-stakes domains where public perception and logistical coordination intersect. Potential applications include:

- a. Public health interventions, where misinformation about treatments or vaccines can undermine disease containment.
- b. Urban policy, where incorporating sentiment-aware strategies could guide infrastructure planning and improve public acceptance.
- c. Social media governance, where early detection and mitigation of harmful rumors may reduce polarized discourse.

In all these scenarios, the capacity to continually align social signals with operational actions enhances resilience and inclusivity.

Ethical Considerations. As AI-driven systems increasingly shape public opinion and resource allocation, developers and policymakers must ensure transparency, equity, and accountability. While MiSC demonstrates how sentiment data can inform tactical decisions, it also underscores the need to guard against social biases, data privacy breaches, and potential manipulation of public sentiment. Implementing bias detection, integrating explainable AI modules, and maintaining human oversight will be essential for ethically deploying such frameworks in real-world contexts.

**Future Research Directions.** Several avenues remain for advancing the MiSC framework and broadening its real-world applicability:

- Real-world data integration, using live social media feeds and official crisis logs to validate performance in authentic settings.
- Accounting for cultural and contextual factors, such as local norms or language nuances, to better tailor interventions to diverse populations.
- Scaling up to handle large, multi-region crises through hierarchical or federated MARL methods.
- Investigating system resilience under adversarial conditions, including orchestrated disinformation campaigns.
- Incorporating explainable and trustworthy AI components to foster stronger human–AI collaboration and public confidence.

In summary, the MiSC framework illustrates how bridging public sentiment modeling with multiagent resource coordination can meaningfully enhance crisis management strategies. By synchronizing real-time social signals and adaptive operational responses, this approach offers a foundation for AI-driven resilience across a spectrum of complex societal challenges, opening the door to more proactive, context-aware, and ethically guided decision-making.

## References

Alam, F.; Qazi, U.; Imran, M.; and Ofli, F. 2021. HumAID: Human-Annotated Disaster Incidents Data from Twitter with Deep Learning Benchmarks. In *Proceedings of the 15th International AAAI Conference on Web and Social Media (ICWSM)*, 933–944.

Behl, S.; Rao, A.; Aggarwal, S.; Chadha, S.; and Pannu, H. S. 2021. Twitter for disaster relief through sentiment analysis for COVID-19 and natural hazard crises. *International Journal of Disaster Risk Reduction*, 55: 102101.

Brown, T. B.; Mann, B.; Ryder, N.; Subbiah, M.; Kaplan, J.; Dhariwal, P.; Neelakantan, A.; Shyam, P.; Sastry, G.; Askell, A.; et al. 2020. Language Models Are Few-Shot Learners. *Advances in Neural Information Processing Systems*, 33: 1877–1901.

Castellano, C.; Fortunato, S.; and Loreto, V. 2009. Statistical Physics of Social Dynamics. *Reviews of Modern Physics*, 81(2): 591–646.

Chen, C.; and Shu, K. 2024. Can LLM-Generated Misinformation Be Detected? In *The Twelfth International Conference on Learning Representations*.

Cinelli, M.; Quattrociocchi, W.; Galeazzi, A.; Valensise, C. M.; Brugnoli, E.; Schmidt, A. L.; Zola, P.; Zollo, F.; and Scala, A. 2020. The COVID-19 social media infodemic. *Scientific Reports*, 10(16598): 1–10.

Gao, C.; Lan, X.; Li, N.; Yuan, Y.; Ding, J.; Zhou, Z.; Xu, F.; and Li, Y. 2024. Large language models empowered agent-based modeling and simulation: a survey and perspectives. *Humanities and Social Sciences Communications*, 11(1): 1259.

Gong, A.; Yang, K.; Lyu, J.; and Li, X. 2024. A two-stage reinforcement learning-based approach for multi-entity task allocation. *Engineering Applications of Artificial Intelligence*, 136: 108906.

Granovetter, M. 1978. Threshold Models of Collective Behavior. *American Journal of Sociology*, 83(6): 1420–1443.

Hagemann, V.; Rieth, M.; Suresh, A.; and Kirchner, F. 2023. Human-AI teams—Challenges for a team-centered AI at work. *Frontiers in Artificial Intelligence*, 6: 1252897.

Hu, B.; Sheng, Q.; Cao, J.; Shi, Y.; Li, Y.; Wang, D.; and Qi, P. 2024. Bad actor, good advisor: Exploring the role of large language models in fake news detection. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 38, 22105–22113.

Jalil, Z.; Abbasi, A.; Javed, A. R.; Khan, M. B.; Hasanat, M. H. A.; Malik, K. M.; and Saudagar, A. K. J. 2021. COVID-19 Related Sentiment Analysis Using State-of-the-Art Machine Learning and Deep Learning Techniques. *Frontiers in Public Health*, 9: 812735.

Karimiziarani, M.; and Moradkhani, H. 2023. Social response and disaster management: Insights from Twitter data assimilation on Hurricane Ian. *International Journal of Disaster Risk Reduction*, 95: 103865.

Kirac, E.; Shaltayev, D. S.; and Wood, N. R. 2024. Evaluating the Impact of Citizen Collaboration with Government Agencies in Disaster Response Operations: An Agent-Based Simulation Study. *International Journal of Disaster Risk Reduction*, 106: 104469.

Li, W.; Haunert, J.-H.; Knechtel, J.; Zhu, J.; Zhu, Q.; and Dehbi, Y. 2023. Social media insights on public perception and sentiment during and after disasters: The European floods in 2021 as a case study. *Transactions in GIS*, 27(6): 1766–1793.

Littman, M. L. 2001. Value-function reinforcement learning in Markov games. *Cognitive systems research*, 2(1): 55–66.

Medhat, W.; Hassan, A.; and Korashy, H. 2014. Sentiment analysis algorithms and applications: A survey. *Ain Shams Engineering Journal*, 5(4): 1093–1113.

Murdock, I.; Carley, K. M.; and Yagan, O. 2024. An agentbased model of cross-platform information diffusion and moderation. *Social Network Analysis and Mining*, 14(145): 1–15.

Nan, Q.; Sheng, Q.; Cao, J.; Hu, B.; Wang, D.; and Li, J. 2024. Let Silence Speak: Enhancing Fake News Detection with Generated Comments from Large Language Models. In *Proceedings of the 33rd ACM International Conference on Information and Knowledge Management (CIKM)*, 1732–1742.

Ng, A. Y.; and Russell, S. J. 2000. Algorithms for Inverse Reinforcement Learning. In *Proceedings of the Seventeenth International Conference on Machine Learning*, ICML '00, 663–670. San Francisco, CA, USA: Morgan Kaufmann Publishers Inc. ISBN 1558607072.

Ramchurn, S. D.; Huynh, T. D.; Wu, F.; Ikuno, Y.; Flann, J.; Moreau, L.; Fischer, J. E.; Jiang, W.; Rodden, T.; Simpson, E.; et al. 2016a. A disaster response system based on humanagent collectives. *Journal of Artificial Intelligence Research*, 57: 661–708.

Ramchurn, S. D.; Wu, F.; Jiang, W.; Fischer, J. E.; Reece, S.; Roberts, S.; Rodden, T.; Greenhalgh, C.; and Jennings, N. R. 2016b. Human–agent collaboration for disaster response. *Autonomous Agents and Multi-Agent Systems*, 30: 82–111.

Rojas, E.; and Li, M. 2024. Trust is Contagious: Social Influences in Human-Human-AI Team. In *Proceedings of the Human Factors and Ergonomics Society Annual Meeting*, volume 68, 890–894.

Schulman, J.; Wolski, F.; Dhariwal, P.; Radford, A.; and Klimov, O. 2017. Proximal Policy Optimization Algorithms. arXiv:1707.06347.

van Der Linden, S.; Roozenbeek, J.; and Compton, J. 2020. Inoculating against fake news about COVID-19. *Frontiers in psychology*, 11: 566790.

Vosoughi, S.; Roy, D.; and Aral, S. 2018. The Spread of True and False News Online. *Science*, 359(6380): 1146–1151.

Yang, Z.; Nguyen, L.; Zhu, J.; Hu, X.; and Shahabi, C. 2020. Coordinating Disaster Emergency Response with Heuristic Reinforcement Learning. In *Proceedings of the IEEE/ACM International Conference on Advances in Social Networks Analysis and Mining (ASONAM)*, 565–572.

Zhou, X.; and Zafarani, R. 2020. A survey of fake news: Fundamental theories, detection methods, and opportunities. *ACM Computing Surveys (CSUR)*, 53(5): 1–40.